

THE CITY OF DALLAS, GEORGIA
ALCOHOL BEVERAGE LICENSE(S) APPLICATION

SURVEYOR'S AFFIDAVIT

A Registered Surveyor Must Complete This Sworn Affidavit. Attach The Survey To This Application. The Survey Must Be Completed Within Thirty (30) Days Prior To Making Application.

The Undersigned has made The Measurement of Distances Shown on The Attached Survey Plat For

The Facility Proposed for Alcoholic Beverage License from The City Of Dallas and find that all measurements to determine distances required by this chapter shall be measured by the most direct route of travel on the ground and shall be measured in the following manner:

- (1) In a straight line from the front door of the structure from which alcoholic beverages are sold or offered for sale;
- (2) To the front door of the building of a church, government-owned treatment center or a retail package store; or
- (3) To the nearest property line of the real property being for school or educational purposes or property that is owned or operated by a housing authority.

☐ The Above Named Business **MEETS All** Distance Requirements As Specified In Section 4-60, Section 4-70, and in O.C.G.A. 3-3-21 & 3-4-49 From Schools, Churches Etc.”.

☐ The Above Named Business **DOES NOT MEET** The Distance Requirements As Specified In Section 4-60, Section 4-70, and in O.C.G.A. 3-3-21 & 3-4-49 From Schools, Churches Etc.”.

REGISTERED SURVEYOR

SWORN TO AND SUBSCRIBED BEFORE

ME THIS _____ DAY OF _____, 20_____.

NOTARY PUBLIC

MY COMMISSION EXPIRES: _____